


Camping Without Compromise

Ultra Light Conventional Travel Trailers



VIKING



VIKING



Easy Does It

VIKING

Water Capacity

Viking vs. the competition

Experience the camping lifestyle at an affordable price, without sacrificing style, comfort and convenience.

These sturdy Travel Trailers are designed with the most popular amenities on the market today!



33 Gallons 10 Gallons Fresh Water Capacity

Gray Water Capacity

9-16 Gallons

25 Gallons



Black Water Capacity



Affordable Comfort and Convenience

Viking 7'Wide Travel Trailers



Standard radial tires. (Deluxe Package shown with upgraded aluminum wheels)



Four standard heavy duty stabilizing jacks



Norco NXG chassis featuring E-Coat technology



13,500 BTU air conditioner



Standard power awning





Deluxe package shown



3 Cu. ft. 2-way refrigerator and microwave



Congoleum residential grade Diamondflor with 100% adhesion combines beauty and durability



Screwed lumbercore cabinetry with hardwood mortise and tenon doors



Jensen AM/FM/Bluetooth stereo with app control includes Interior/Exterior speakers



Interior Command Center controls awning, interior lighting, slide out, water heater/pump, battery indicator lights and has two USB outlets.

3



VIKING

SAGA

For the budget minded camper, the Viking Saga offers unequalled affordability without compromising traditional Viking quality and looks.

VIKIN



Saga 17SBH bath with roomy tub and foot flush toilet





Saga 17SBH kitchen with 3 cu. ft. 110V refrigerator and loads of storage

Strong, walk on roof!



Designed for the 5000# tow class, the Viking 7'6" wide series is the perfect combination of features, quality and towability.

21FQS Kitchen





Viking 7'6" Wide Tandem Axle Travel Trailers



Tandem axles enhance stability



Double 20 lb. LP tanks



Deep, double bowl Stonecast sink with high neck faucet



3 Burner range with Piezo ignitor



20,000 BTU Ducted furnace

Viking 7'Wide Saga

Viking 7'Wide Single Axle

Viking 7'6" Wide Tandem Axle



6

Standard Features

CHASSIS	Viking Saga	Single Axle Viking	Tandem Axle Viking		Viking Saga	Single Axle Viking	Tandem Axle Viking		Viking Saga	Single Axle Viking	Tandem Axle Viking
Norco NXG Chassis				Manual Bath Vent	- Cugu			12 Volt On Demand Water Pump			
Double Steps				Onmidirectional TV Antenna				6 Gal. Gas Water Heater			
Single Dexter [®] E-Z Lube [®] Axle				Cable/Satellite Hook-up				6 Gal. DSI Gas Water Heater			
Dual Dexter [®] E-Z Lube [®] Axle				Zamp Solar Port				3 Cu. Ft. Two Way Dometic Refrigerator			
Electric Brakes				120 Volt GFI Exterior Recept				6 Cu. Ft. Two Way Dometic Refrigerator			
Radial Tires				Amber Patio Light				3 Cu. Ft. 110 Volt Refrigerator			
Spare Tire and Carrier				Oversized Fresh Water Tank				Jensen AM/FM Bluetooth Stereo with App Control			
Scissor Style Jacks with pads (4)				Oversized Gray Water Tank				Interior Command Center			
Scissor Style Jacks with pads (2)				Oversized Black Water Tank				Mini Blinds			
Heavy Duty Tongue Jack				LED Exterior Lights				120 Volt Interior Outlets			
Safety Chains				INTERIOR				Interior Light Switches			
Single 20# LP Tank				100% Adhesion Residential Grade Linoleum					Viking		Tandem Axle
Dual 20# LP Tanks				Walnut Cabinetry				POPULAR OPTIONS	Saga	Viking	Viking
EXTERIOR				Mortise and Tenon Residential Cabinet Doors				Deluxe Package:			
Diamond Plate Front and Rear Wall Protection				Screwed Lumbercore Cabinet Fronts				Aluminum Wheels			
Heavy Duty .030/.024 Mesa Exterior				Residential Laminated Countertops				Lend-A-Hand Assist handle			
Aerodynamic Front Profile				Ultra Comfort 4" High Density Cushions				Exterior Shower			
Tinted Safety Glass Windows				12 Volt LED Interior Lights				Pleated Night Shades			
Front Rockguard Window				Stone Cast Sink				Tub Surround			
Radiused Entry and Baggage Doors				High Neck Kitchen Faucet				Bath Door Mirror			
Power Awning				2 Burner High Output Range				40 Watt Zamp Portable Solar Panel			
Exterior Speakers				3 Burner High Output Range				80 Watt Zamp Portable Solar Panel			
Grab Handle				Powered Range Vent				Bed End Fan Light (16RBD Only)			
Alpha Superflex Roofing				Microwave				Second Bed End Fan Light (16RBD Only)			
Walk-on Roof				13.500 BTU Roof A/C				"Jack It" Bike Rack			
Bathroom Skylight			-	5,000 BTU A/C				Smart Jack			
Power Bath Vent			_	20,000 BTU Furnace	-			Spare Tire and Carrier			
			_				_	All Terrain Package			

Viking Specifications

	VIKING SAGA						VIKING 7' WIDE SINGLE AXLE									VIKING 7'6" WIDE TANDEM AXLE				
MODEL:	14 SR	16SBH	16SFB	17SBH	17SFQ	14 R	16 FB	16 RBD	17 BH	17 BHS	17 FQ	17 FQ S	17 RD	17 FB	21 BH	21 FQ	21 RD	21 BHS	21FQS	
Hitch Weight	303 lbs.	319 lbs.	360 lbs.	376 lbs.	292 lbs.	347 lbs.	318 lbs.	312 lbs.	406 lbs.	410 lbs.	320 lbs.	370 lbs.	424 lbs.	337 lbs.	479 lbs.	414 lbs.	542 lbs.	537 lbs.	539 lbs.	
UVW	2335 lbs.	2306 lbs.	2442 lbs.	2694 lbs.	2749 lbs.	2509 lbs.	2777 lbs.	2806 lbs.	2869 lbs.	3217 lbs.	2886 lbs.	3277 lbs.	2847 lbs.	2920 lbs.	4069 lbs.	4074 lbs.	3855 lbs.	4608 lbs.	4576 lbs.	
GVWR	3803 lbs.	3634 lbs.	3675 lbs.	3716 lbs.	3792 lbs.	3662 lbs.	3718 lbs.	3627 lbs.	3626 lbs.	3725 lbs.	3635 lbs.	3685 lbs.	3739 lbs.	3652 lbs.	7109 lbs.	7044 lbs.	7172 lbs.	6537 lbs.	6539 lbs.	
Cargo Capacity	1468 lbs.	1328 lbs.	1233 lbs.	1022 lbs.	1043 lbs.	1153 lbs.	1018 lbs.	821 lbs.	791 lbs.	508 lbs.	749 lbs.	408 lbs.	818 lbs.	732 lbs.	3057 lbs.	2970 lbs.	3317 lbs.	1929 lbs.	1963 lbs.	
Exterior Length (add 10 1/4" for Spare)	16' 4"	17' 5″	18' 4"	21' 4"	21′ 4″	16′ 4″	18' 4"	18' 4"	21' 4"	21' 4"	21' 4"	21' 4"	21' 4"	21′ 4″	25' 6"	25' 6"	25' 6"	25' 6"	25′ 6″	
Exterior Width	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	96″	96″	96″	96″	96″	
Exterior Height with A/C	9′ 8″	9' 8"	9′ 8″	9′ 8″	9′ 8″	9′ 8″	9' 8"	9' 8"	9' 8"	9′ 8″	9' 8"	9′ 8″	9′ 8″	9' 8"	9′ 10″	9′ 10″	9′ 10″	9′ 10″	9′ 10″	
Interior Height	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	
Fresh Water Capacity (Incl. W/H)	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	40 gal.	40 gal.	40 gal.	40 gal.	40 gal.	
Grey Water Capacity	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	31 gal.	31 gal.	31 gal.	31 gal.	31 gal.	
Black Water Capacity	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	31 gal.	31 gal.	31 gal.	31 gal.	31 gal.	
Tire Size (Radial)	14″	14″	14"	14"	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	
Coupler Size	2 5/16"	2 5/16″	2 5/16"	2 5/16″	2 5/16"	2 5/16″	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	

*Weights shown are approximate. †Estimated Average based on standard build optional equipment. See back page for chart definitions.

The Viking Deluxe Package

and the second second

Available on most Viking models (Not available on Saga)





Aluminum wheels

Lend-a-hand assist handle



Pleated nightshades



ABS tub surround



Bath door mirror

CUSTOMER SATISFACTION

FOREST RIVER

BUY

LOCAL

9



Exterior shower



Viking RV 580 West Burr Oak Street
P.O. Box 549 Centreville, MI 49032
269-467-6321

To learn more about Viking RV and our products and see how Viking is making camping easier, visit www.vikingrv.com.

visit www.vikingrv.com.



Your Viking RV Dealer



ease and insight into use, maintenance

and enjoyment of your Forest River product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or Google Play!

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles. UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. **Stimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. @2017 Viking Recreational Vehicles, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved. 12/17



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



