



REFINED LUXURY | ELITE LEGACY | WORK OF ART

[www.monacocoach.com](http://www.monacocoach.com)

# SIGNATURE


2018 MONACO COACH CLASS A DIESEL



OUR VEHICLES CONNECT AND PROTECT  
PEOPLE AROUND THE WORLD EVERYDAY.  
[www.revgroup.com](http://www.revgroup.com)




40J




Available options: 194, 833, 641

40L




Available options: 194, 203, 641

44M




Available options: 833, 191, 203, 641


## Exterior Options




Alpine Lush



Midnight Sky



Ocean Star



Summer Meadow


**IMPORTANT—PLEASE READ:** Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at [www.fleetwoodrv.com](http://www.fleetwoodrv.com) or contact your local Fleetwood RV dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

©2017 REV Group Inc. Printed in USA. Inventory Control Number 18.5BNDR\_SalesWN18S1, 08/17. Model Year 2018.5, First Edition.




# DECOR

STERLING MIST



GOLD REFLECTION



1 SOFA 2 LIVING ACCENT 3 BEDSPREAD 4 BED ACCENT 5 COUNTERTOP 6 BACKSPLASH 7 FLOORING 8 CARPET

## STANDARD FEATURES

- FULL TILE SHOWER
- 10K GENERATOR
- LOPRO AIR CONDITIONING W/CONDENSATION LINES
- WINDOW AWNING PACKAGE
- RGB COLOR CHANGING UNDER CHASSIS LIGHTING
- 90" TRAY - 1st FULL BAY
- 450D AQUAHOT
- UPGRADED FIREFLY MULTIPLEX SYSTEM WITH 10" VEGA TOUCH SCREEN



UMBER HIGH GLOSS



MAJESTIC CHESTNUT

YOUR LOCAL DEALER



## CHASSIS

MODEL	40J	40L	44M
Wheelbase (inches)	284"	284"	313"
Front GAWR (lbs) <sup>2</sup>	14,600	14,600	17,000
Rear GAWR (lbs) <sup>2</sup>	24,000	24,000	20,000
Rear Tag GAWR (lbs)	N/A	N/A	10,000
GCWR (lbs) <sup>3</sup>	48,600	48,600	59,600
Hitch Rating Weight (lbs) <sup>†</sup>	10,000	10,000	15,000
Tongue Weight (lbs) <sup>†</sup>	1,000	1,000	1,500
Fuel Capacity (gal)	100	100	150

## REVOLVER™ CHASSIS

Model: Freightliner® XCM Series

Engine: Cummins® ISL9

Transmission: Allison® 3000 MH 6-Speed w/Electronic Shifter

Alternator: Delco Remy 170 Amp

Torque: 1,250 lb.-ft. @ 1,400 RPM

Horsepower: 450 HP

## DIMENSIONS & CAPACITIES

MODEL	40J	40L	44M
Overall Length (inches) <sup>4</sup>	41' 2"	41' 2"	43' 9"
Overall Height (suspension inflated)	12' 10"	12' 10"	12' 10"
Overall Width (maximum) <sup>5, 6</sup>	102"	102"	102"
Interior Height (maximum)	84"	84"	84"
Interior Width (maximum)	96"	96"	96"
Patio Awning Width	19' 8"	19' 8"	19' 8"
Interior Storage (cu. ft.)	188	196	227
Exterior Storage (cu. ft.)	182	182	190
Fresh Water Holding Tank (gal)	100	100	100
Grey Water Holding Tank (gal)	60	60	60
Black Water Holding Tank (gal)	40	40	40

### DISCLAIMER

1. GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded motorhome. The GVWR is equal to or greater than the sum of the (UVW) unloaded vehicle weight plus the (OCCC) occupant cargo-carrying capacity\*.

2. GAWR (Gross Axle Weight Rating) is the maximum permissible loaded weight a specific axle is designed to carry.

3. GCWR (Gross Combined Weight Rating) is the value specified by the motorhome manufacturer as the maximum allowable loaded weight of this motorhome with its towed vehicle. Towing and braking capacities may be different. Refer to Monaco and chassis manufacturer's manuals for complete information.

4. Length measured from front bumper to rear bumper (excludes accessories).

5. Excludes safety equipment and awnings.

6. Motorhomes feature a body width over 96" which will restrict your access to certain roads. Before purchasing, you should research any state and/or province road laws which may affect your usage.

7. Tank manufacturer's listed water capacity (WC). Actual propane capacity is 80% of water listing as required by the safety code.

† The chassis manufacturer recommends the installation of a supplemental brake control system to activate the brakes on the vehicle or trailer you are towing. Hitch receiver ratings expressed are maximum for the hitch receiver installed and may require the purchase of additional equipment that is dependent on the weight of the towed load. Consult with hitch receiver manufacturer for further information.

†† The Minimum Towable Load of this vehicle is the available weight capacity, up to GCWR, when the coach is fully loaded to maximum GVWR. However, if the coach is loaded to something less than maximum GVWR, that extra available weight capacity can be added to your Towable Load. For example, if your coach is loaded to 1000lbs less than maximum GVWR, your Towable Load increases accordingly. Do not exceed the hitch rating weight, GVWR or GCWR.

\* UVW and OCCC are found on the label containing the federal certification tag in each RV.

\*\* All 2017 REV Recreation Group motorhomes include a limited one-year/15,000-mile coach warranty and three-year/45,000-mile structural warranty, whichever occurs first, and is fully transferable for the first 12 months.

### IMPORTANT—PLEASE READ

Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at [www.monacocoach.com](http://www.monacocoach.com) or contact your local Monaco dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Monaco has designed its recreational vehicles to provide a variety of uses for customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

### SERVICE AND SUPPORT:

24/7 service and support – Toll-free 877-211-8135

[www.monacocoach.com](http://www.monacocoach.com)